

TEKNIFLEX®	Construction		WVTR 38°C, 90% RH (g/m²/d)	WVTR 38°C, 90% RH (g/100in²/d)	OTR 23°C, 50% RH (cm³/m²/d)	OTR 23°C, 50% RH (cm³/100in²/d)
VA760 WH	191 µm PVC WH / 15 µm PCTFE	7.5 mil PVC WH / 0.6 mil PCTFE	0,37	0,024	19	1,23
VA780 WH	191 µm PVC WH / 20 µm PCTFE	7.5 mil PVC WH / 0.8 mil PCTFE	0,28	0,018	18	1,16
VA790 WH	191 µm PVC WH / 23 µm PCTFE	7.5 mil PVC WH / 0.9 mil PCTFE	0,23	0,015	17	1,1
VA1060 WH	254 µm PVC WH / 15 µm PCTFE	10.0 mil PVC WH / 0.6 mil PCTFE	0,37	0,024	15	0,97
VA1080 WH	254 µm PVC WH / 20 µm PCTFE	10.0 mil PVC WH / 0.8 mil PCTFE	0,28	0,018	14	0,9
VA1090 WH	254 µm PVC WH / 23 µm PCTFE	10.0 mil PVC WH / 0.9 mil PCTFE	0,23	0,015	14	0,9
VA1260 WH	305 µm PVC WH / 15 µm PCTFE	12.0 mil PVC WH / 0.6 mil PCTFE	0,37	0,024	13	0,84
VA1280 WH	305 µm PVC WH / 20 µm PCTFE	12.0 mil PVC WH / 0.8 mil PCTFE	0,28	0,018	12	0,77
VA1290 WH	305 µm PVC WH / 23 µm PCTFE	12.0 mil PVC WH / 0.9 mil PCTFE	0,23	0,015	12	0,77
VA1560 WH	381 µm PVC WH / 15 µm PCTFE	15.0 mil PVC WH / 0.6 mil PCTFE	0,37	0,024	10	0,65
VA1580 WH	381 µm PVC WH / 20 µm PCTFE	15.0 mil PVC WH / 0.8 mil PCTFE	0,28	0,018	10	0,65
VA1590 WH	381 µm PVC WH / 23 µm PCTFE	15.0 mil PVC WH / 0.9 mil PCTFE	0,23	0,015	9	0,58
VA7170 WH	191 µm PVC WH / 43 µm PCTFE	7.5 mil PVC WH / 1.7 mil PCTFE	0,15	0,01	15	0,97
VA7200 WH	191 µm PVC WH / 51 µm PCTFE	7.5 mil PVC WH / 2.0 mil PCTFE	0,11	0,007	14	0,9
VA7300 WH	191 µm PVC WH / 76 µm PCTFE	7.5 mil PVC WH / 3.0 mil PCTFE	0,07	0,005	12	0,77
VA7400 WH	191 µm PVC WH / 102 µm PCTFE	7.5 mil PVC WH / 4.0 mil PCTFE	0,056	0,004	10	0,65
VA7540 WH	191 µm PVC WH / 137 µm PCTFE	7.5 mil PVC WH / 5.4 mil PCTFE	0,04	0,003	8	0,52
VA7600 WH	191 µm PVC WH / 152 µm PCTFE	7.5 mil PVC WH / 6.0 mil PCTFE	0,036	0,002	7	0,45
VA10170 WH	254 µm PVC WH / 43 µm PCTFE	10.0 mil PVC WH / 1.7 mil PCTFE	0,15	0,01	12	0,77
VA10200 WH	254 µm PVC WH / 51 µm PCTFE	10.0 mil PVC WH / 2.0 mil PCTFE	0,11	0,007	12	0,77

TEKNIFLEX®	Construction		WVTR 38°C, 90% RH (g/m²/d)	WVTR 38°C, 90% RH (g/100in²/d)	OTR 23°C, 50% RH (cm³/m²/d)	OTR 23°C, 50% RH (cm³/100in²/d)
VA10300 WH	254 µm PVC WH / 76 µm PCTFE	10.0 mil PVC WH / 3.0 mil PCTFE	0,07	0,005	10	0,65
VA10400 WH	254 µm PVC WH / 102 µm PCTFE	10.0 mil PVC WH / 4.0 mil PCTFE	0,056	0,004	9	0,58
VA10540 WH	254 µm PVC WH / 137 µm PCTFE	10.0 mil PVC WH / 5.4 mil PCTFE	0,04	0,003	7	0,45
VA10600 WH	254 µm PVC WH / 152 µm PCTFE	10.0 mil PVC WH / 6.0 mil PCTFE	0,036	0,002	7	0,45
VA12170 WH	305 µm PVC WH / 43 µm PCTFE	12.0 mil PVC WH / 1.7 mil PCTFE	0,15	0,01	10	0,65
VA12200 WH	305 µm PVC WH / 51 µm PCTFE	12.0 mil PVC WH / 2.0 mil PCTFE	0,11	0,007	10	0,65
VA12300 WH	305 µm PVC WH / 76 µm PCTFE	12.0 mil PVC WH / 3.0 mil PCTFE	0,07	0,005	9	0,58
VA12400 WH	305 µm PVC WH / 102 µm PCTFE	12.0 mil PVC WH / 4.0 mil PCTFE	0,056	0,004	8	0,52
VA12540 WH	305 µm PVC WH / 137 µm PCTFE	12.0 mil PVC WH / 5.4 mil PCTFE	0,04	0,003	6	0,36
VA12600 WH	305 µm PVC WH / 152 µm PCTFE	12.0 mil PVC WH / 6.0 mil PCTFE	0,036	0,002	6	0,36
VA15170 WH	381 µm PVC WH / 43 µm PCTFE	15.0 mil PVC WH / 1.7 mil PCTFE	0,15	0,01	9	0,58
VA15200 WH	381 µm PVC WH / 51 µm PCTFE	15.0 mil PVC WH / 2.0 mil PCTFE	0,11	0,007	9	0,58
VA15300 WH	381 µm PVC WH / 76 µm PCTFE	15.0 mil PVC WH / 3.0 mil PCTFE	0,07	0,005	8	0,52
VA15400 WH	381 µm PVC WH / 102 µm PCTFE	15.0 mil PVC WH / 4.0 mil PCTFE	0,056	0,004	7	0,45
VA15540 WH	381 µm PVC WH / 137 µm PCTFE	15.0 mil PVC WH / 5.4 mil PCTFE	0,04	0,003	5	0,33
VA15600 WH	381 µm PVC WH / 152 µm PCTFE	15.0 mil PVC WH / 6.0 mil PCTFE	0,036	0,002	5	0,33

75 µm / 3 mil PVC, 15 mil PVC, thicknesses also available.

Tekni-Films USA: info.teknifilmsNA@tekni-plex.com

Tekni-Plex Europe: info.teknifilmsEUR@tekni-plex.com • +32 53 650 711

Tekni-Plex Gallazzi: info.teknifilmsEUR@tekni-plex.com • +39 0331 815 211

Tekni-Films South America: info.teknifilmsSA@tekni-plex.com • +54 11 4605 4042

www.tekni-plex.com

DISCLAIMER: The information set forth in this datasheet is subject to change without notice and must be confirmed at time of purchase. No licenses, patent, or other intellectual property rights of Tekni-Plex or others are conveyed hereby. TEKNI-PLEX MAKES NO WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO THIS INFORMATION AND DISCLAIMS ALL LIABILITY FROM RELIANCE ON IT. Tekni-Plex's only warranties for this product are those written warranties as may be agreed to by Tekni-Plex and its customers in a signed document. TEKNI-PLEX SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE PRODUCT, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE. Nothing herein shall constitute or imply any promise to enter into any business

TEKNI PLEX®