

[illegible]

TEKNIFLEX®	Construction		WVTR 38°C, 90% RH (g/m²/d)	WVTR 38°C, 90% RH (g/100in²/d)	OTR 23°C, 50% RH (cm³/m²/d)	OTR 23°C, 50% RH (cm³/100in²/d)
VA760	191 µm PVC / 15 µm PCTFE	7.5 mil PVC / 0.6 mil PCTFE	0,37	0,024	19	1,23
VA780	191 µm PVC / 20 µm PCTFE	7.5 mil PVC / 0.8 mil PCTFE	0,28	0,018	18	1,16
VA790	191 µm PVC / 23 µm PCTFE	7.5 mil PVC / 0.9 mil PCTFE	0,23	0,015	17	1,1
VA1060	254 µm PVC / 15 µm PCTFE	10.0 mil PVC / 0.6 mil PCTFE	0,37	0,024	15	0,97
VA1080	254 µm PVC / 20 µm PCTFE	10.0 mil PVC / 0.8 mil PCTFE	0,28	0,018	14	0,9
VA1090	254 µm PVC / 23 µm PCTFE	10.0 mil PVC / 0.9 mil PCTFE	0,23	0,015	14	0,9
VA1260	305 µm PVC / 15 µm PCTFE	12.0 mil PVC / 0.6 mil PCTFE	0,37	0,024	13	0,84
VA1280	305 µm PVC / 20 µm PCTFE	12.0 mil PVC / 0.8 mil PCTFE	0,28	0,018	12	0,77
VA1290	305 µm PVC / 23 µm PCTFE	12.0 mil PVC / 0.9 mil PCTFE	0,23	0,015	12	0,77
VA1560	381 µm PVC / 15 µm PCTFE	15.0 mil PVC / 0.6 mil PCTFE	0,37	0,024	10	0,65
VA1580	381 µm PVC / 20 µm PCTFE	15.0 mil PVC / 0.8 mil PCTFE	0,28	0,018	10	0,65
VA1590	381 µm PVC / 23 µm PCTFE	15.0 mil PVC / 0.9 mil PCTFE	0,23	0,015	9	0,58
VA7170	191 µm PVC / 43 µm PCTFE	7.5 mil PVC / 1.7 mil PCTFE	0,15	0,01	15	0,97
VA7200	191 µm PVC / 51 µm PCTFE	7.5 mil PVC / 2.0 mil PCTFE	0,11	0,007	14	0,9
VA7300	191 µm PVC / 76 µm PCTFE	7.5 mil PVC / 3.0 mil PCTFE	0,07	0,005	12	0,77
VA7400	191 µm PVC / 102 µm PCTFE	7.5 mil PVC / 4.0 mil PCTFE	0,056	0,004	10	0,65

TEKNIFLEX®	Construction		WVTR 38°C, 90% RH (g/m²/d)	WVTR 38°C, 90% RH (g/100in²/d)	OTR 23°C, 50% RH (cm³/m²/d)	OTR 23°C, 50% RH (cm³/100in²/d)
VA7540	191 µm PVC / 137 µm PCTFE	7.5 mil PVC / 5.4 mil PCTFE	0,04	0,003	8	0,52
VA7600	191 µm PVC / 152 µm PCTFE	7.5 mil PVC / 6.0 mil PCTFE	0,036	0,002	7	0,45
VA10170	254 µm PVC / 43 µm PCTFE	10.0 mil PVC / 1.7 mil PCTFE	0,15	0,01	12	0,77
VA10200	254 µm PVC / 51 µm PCTFE	10.0 mil PVC / 2.0 mil PCTFE	0,11	0,007	12	0,77
VA10300	254 µm PVC / 76 µm PCTFE	10.0 mil PVC / 3.0 mil PCTFE	0,07	0,005	10	0,65
VA10400	254 µm PVC / 102 µm PCTFE	10.0 mil PVC / 4.0 mil PCTFE	0,056	0,004	9	0,58
VA10540	254 µm PVC / 137 µm PCTFE	10.0 mil PVC / 5.4 mil PCTFE	0,04	0,003	7	0,45
VA10600	254 µm PVC / 152 µm PCTFE	10.0 mil PVC / 6.0 mil PCTFE	0,036	0,002	7	0,45
VA12170	305 µm PVC / 43 µm PCTFE	12.0 mil PVC / 1.7 mil PCTFE	0,15	0,01	10	0,65
VA12200	305 µm PVC / 51 µm PCTFE	12.0 mil PVC / 2.0 mil PCTFE	0,11	0,007	10	0,65
VA12300	305 µm PVC / 76 µm PCTFE	12.0 mil PVC / 3.0 mil PCTFE	0,07	0,005	9	0,58
VA12400	305 µm PVC / 102 µm PCTFE	12.0 mil PVC / 4.0 mil PCTFE	0,056	0,004	8	0,52
VA12540	305 µm PVC / 137 µm PCTFE	12.0 mil PVC / 5.4 mil PCTFE	0,04	0,003	6	0,36
VA12600	305 µm PVC / 152 µm PCTFE	12.0 mil PVC / 6.0 mil PCTFE	0,036	0,002	6	0,36
VA15170	381 µm PVC / 43 µm PCTFE	15.0 mil PVC / 1.7 mil PCTFE	0,15	0,01	9	0,58
VA15200	381 µm PVC / 51 µm PCTFE	15.0 mil PVC / 2.0 mil PCTFE	0,11	0,007	9	0,58
VA15300	381 µm PVC / 76 µm PCTFE	15.0 mil PVC / 3.0 mil PCTFE	0,07	0,005	8	0,52
VA15400	381 µm PVC / 102 µm PCTFE	15.0 mil PVC / 4.0 mil PCTFE	0,056	0,004	7	0,45
VA15540	381 µm PVC / 137 µm PCTFE	15.0 mil PVC / 5.4 mil PCTFE	0,04	0,003	5	0,33

TEKNIFLEX®	Construction		WVTR 38°C, 90% RH (g/m²/d)	WVTR 38°C, 90% RH (g/100in²/d)	OTR 23°C, 50% RH (cm³/m²/d)	OTR 23°C, 50% RH (cm³/100in²/d)
VA15600	381 µm PVC / 152 µm PCTFE	15.0 mil PVC / 6.0 mil PCTFE	0,036	0,002	5	0,33

Available in clear, white. 305µ / 12 mil or 381µ / 15 mil PVC thicknesses also available.

For additional information, please [contact us](#).

Tekni-Films USA: info.teknifilmsNA@tekni-plex.com

Tekni-Plex Europe: info.teknifilmsEUR@tekni-plex.com • +32 53 650 711

Tekni-Plex Gallazzi: info.teknifilmsEUR@tekni-plex.com • +39 0331 815 211

Tekni-Films South America: info.teknifilmsSA@tekni-plex.com • +54 11 4605 4042

www.tekni-plex.com

DISCLAIMER: The information set forth in this datasheet is subject to change without notice and must be confirmed at time of purchase. No licenses, patent, or other intellectual property rights of Tekni-Plex or others are conveyed hereby. TEKNI-PLEX MAKES NO WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO THIS INFORMATION AND DISCLAIMS ALL LIABILITY FROM RELIANCE ON IT. Tekni-Plex's only warranties for this product are those written warranties as may be agreed to by Tekni-Plex and its customers in a signed document. TEKNI-PLEX SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE PRODUCT, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE. Nothing herein shall constitute or imply any promise to enter into any business

TEKNI PLEX®