

Pentafill® L+Fill

Bench-top machine for filling and sealing single-dose plastic containers


Bench-top machine for lab research and small quantity start-up production that meets the same industrial sealing standards as higher capacity Pentafill models.



OVERVIEW

Whether you are looking to complete laboratory studies, or produce small start-up quantities of single-dose plastic vials, the Pentafill L+Fill allows you to mimic the results of industrial production in a compact, bench-sized filling and sealing machine.

- Machine includes a heating head, cold-molding pliers and a sealer
- Strip holder requires manual movement
- Interchangeable holders for different containers capacities
- Simple external controls
- Pentafill supported formats: 0.33 – 0.6 – 1 – 2 – 3 – 5 – 10 ml




Pentafill® L+Fill

Bench-top machine for filling and sealing single-dose plastic containers

Pentafill L+Fill Technical Data

	L + FILL
Capacity	Up to 3 strips per minute
Voltage	220V - 50 Hz
Power consumption	2.5 Kw
Compressed air consumption	80 L/min
Pressure required	> 6 bar
Chiller: water consumption	1,5 L/min
Chiller: MIN pressure	2 bar
Chiller: water temperature	14/16° C
Weight	80 kg
Dimensions (L x W x H) (mm)	900 x 570 x 600 mm

Pentafill L+Fill Layout



For additional information, please visit:
tekni-plex.com/healthcare